



Flat Topography / Düz Arazi
Non - Pc / Sabit Debili
Thin and Medium Wall / İnce ve Orta Duvarlı
On Surface / Toprak Üstü



Damla Sulama Borusu
Drip Irrigation Pipe

MİNİ STAR DAMLA SULAMA BORUSU 6 MİL MINI STAR T-TAPE DRIP PIPE 6 MIL

STAR-T mini

Çap Diameter	Et Kalınlığı Wall Thickness	Debi Flow Rate	Paketleme Packaging	Kod Code	Damlama Aralığı Distance
16 mm	6 mil (0,15mm)	1,0 1,6 2,2 3,5 Lt/h	500 metre/top meter/roll	IRN171510-1	10 cm
				IRN171515-1	15 cm
				IRN171520-1	20 cm
				IRN171525-1	25 cm
				IRN171530-1	30 cm
				IRN171533-1	33 cm
				IRN171540-1	40 cm
				IRN171550-1	50 cm
IRN171560-1	60 cm				

MİNİ STAR DAMLA SULAMA BORUSU 8 MİL MINI STAR T-TAPE DRIP PIPE 8 MIL

Çap Diameter	Et Kalınlığı Wall Thickness	Debi Flow Rate	Paketleme Packaging	Kod Code	Damlama Aralığı Distance
16 mm	8 mil (0,20mm)	1,0 1,6 2,2 3,5 Lt/h	500 metre/top meter/roll	IRN172010-1	10 cm
				IRN172015-1	15 cm
				IRN172020-1	20 cm
				IRN172025-1	25 cm
				IRN172030-1	30 cm
				IRN172033-1	33 cm
				IRN172040-1	40 cm
				IRN172050-1	50 cm
IRN172060-1	60 cm				

MİNİ STAR DAMLA SULAMA BORUSU 10 MİL MINI STAR T-TAPE DRIP PIPE 10 MIL

Çap Diameter	Et Kalınlığı Wall Thickness	Debi Flow Rate	Paketleme Packaging	Kod Code	Damlama Aralığı Distance
16 mm	10 mil (0,25mm)	1,0 1,6 2,2 3,5 Lt/h	400 metre/top meter/roll	IRN172510-1	10 cm
				IRN172515-1	15 cm
				IRN172520-1	20 cm
				IRN172525-1	25 cm
				IRN172530-1	30 cm
				IRN172533-1	33 cm
				IRN172540-1	40 cm
				IRN172550-1	50 cm
IRN172560-1	60 cm				



STAR-T mini

MİNİ STAR DAMLA SULAMA BORUSU 12 MİL MINI STAR T-TAPE DRIP PIPE 12 MIL

Çap Diameter	Et Kalınlığı Wall Thickness	Debi Flow Rate	Paketleme Packaging	Kod Code	Damlama Aralığı Distance
16 mm	12 mil (0,30 mm)	1,0 1,6 2,2 3,5 Lt/h	350 metre/top meter/roll	IRN173010-1	10 cm
				IRN173015-1	15 cm
				IRN173020-1	20 cm
				IRN173025-1	30 cm
				IRN173030-1	30 cm
				IRN173033-1	33 cm
				IRN173040-1	40 cm
				IRN173050-1	50 cm
IRN173060-1	60 cm				

MİNİ STAR DAMLA SULAMA BORUSU 16 MİL MINI STAR T-TAPE DRIP PIPE 16 MIL

Çap Diameter	Et Kalınlığı Wall Thickness	Debi Flow Rate	Paketleme Packaging	Kod Code	Damlama Aralığı Distance
16 mm	16 mil (0,40 mm)	1,0 1,6 2,2 3,5 Lt/h	300 metre/top meter/roll	IRN174010-1	10 cm
				IRN174015-1	15 cm
				IRN174020-1	20 cm
				IRN174025-1	30 cm
				IRN174030-1	30 cm
				IRN174033-1	33 cm
				IRN174040-1	40 cm
				IRN174050-1	50 cm
IRN174060-1	60 cm				

PALLET LOADING PLAN





Flat Topography / Düz Arazi
Non - Pc / Sabit Debili
Thin and Medium Wall / İnce ve Orta Duvarlı
On Surface / Toprak Üstü



STAR-T MIDI

MİDİ STAR DAMLA SULAMA BORUSU 6 MİL MIDI STAR T-TAPE DRIP PIPE 6 MIL

Çap Diameter	Et Kalınlığı Wall Thickness	Debi Flow Rate	Paketleme Packaging	Kod Code	Damlama Aralığı Distance
16 mm	6 mil (0,15mm)	1,0 1,6 2,2 3,5 Lt/h	1.000 metre/top meter/roll	IRD171510-1	10 cm
				IRD171515-1	15 cm
				IRD171520-1	20 cm
				IRD171525-1	25 cm
				IRD171530-1	30 cm
				IRD171533-1	33 cm
				IRD171540-1	40 cm
				IRD171550-1	50 cm
IRD171560-1	60 cm				

MİDİ STAR DAMLA SULAMA BORUSU 8 MİL MIDI STAR T-TAPE DRIP PIPE 8 MIL

Çap Diameter	Et Kalınlığı Wall Thickness	Debi Flow Rate	Paketleme Packaging	Kod Code	Damlama Aralığı Distance
16 mm	8 mil (0,20mm)	1,0 1,6 2,2 3,5 Lt/h	1.000 metre/top meter/roll	IRD172010-1	10 cm
				IRD172015-1	15 cm
				IRD172020-1	20 cm
				IRD172025-1	25 cm
				IRD172030-1	30 cm
				IRD172033-1	33 cm
				IRD172040-1	40 cm
				IRD172050-1	50 cm
IRD172060-1	60 cm				

MİDİ STAR DAMLA SULAMA BORUSU 10 MİL MIDI STAR T-TAPE DRIP PIPE 10 MIL

Çap Diameter	Et Kalınlığı Wall Thickness	Debi Flow Rate	Paketleme Packaging	Kod Code	Damlama Aralığı Distance
16 mm	10 mil (0,25mm)	1,0 1,6 2,2 3,5 Lt/h	800 metre/top meter/roll	IRD172510-1	10 cm
				IRD172515-1	15 cm
				IRD172520-1	20 cm
				IRD172525-1	25 cm
				IRD172530-1	30 cm
				IRD172533-1	33 cm
				IRD172540-1	40 cm
				IRD172550-1	50 cm
IRD172560-1	60 cm				



DAMLA SULAMA BORUSU DRIP IRRIGATION PIPE



Damla Sulama Borusu
Drip Irrigation Pipe

STAR-T MIDI

MİDİ STAR DAMLA SULAMA BORUSU 12 MİL MIDI STAR T-TAPE DRIP PIPE 12 MIL

Çap Diameter	Et Kalınlığı Wall Thickness	Debi Flow Rate	Paketleme Packaging	Kod Code	Damlama Aralığı Distance
16 mm	12 mil (0,30 mm)	1,0 1,6 2,2 3,5 Lt/h	700 metre/top meter/roll	IRD173010-1	10 cm
				IRD173015-1	15 cm
				IRD173020-1	20 cm
				IRD173025-1	25 cm
				IRD173030-1	30 cm
				IRD173033-1	33 cm
				IRD173040-1	40 cm
				IRD173050-1	50 cm
				IRD173060-1	60 cm

MİDİ STAR DAMLA SULAMA BORUSU 16 MİL MIDI STAR T-TAPE DRIP PIPE 16 MIL

Çap Diameter	Et Kalınlığı Wall Thickness	Debi Flow Rate	Paketleme Packaging	Kod Code	Damlama Aralığı Distance
16 mm	16 mil (0,40 mm)	1,0 1,6 2,2 3,5 Lt/h	600 metre/top meter/roll	IRD174010-1	10 cm
				IRD174015-1	15 cm
				IRD174020-1	20 cm
				IRD174025-1	25 cm
				IRD174030-1	30 cm
				IRD174033-1	33 cm
				IRD174040-1	40 cm
				IRD174050-1	50 cm
				IRD174060-1	60 cm

PALLET LOADING PLAN





Flat Topography / Düz Arazi
Non - Pc / Sabit Debili
Thin and Medium Wall / İnce ve Orta Duvarlı
On Surface / Toprak Üstü



STAR-T MAXI

MAXİ STAR DAMLA SULAMA BORUSU 6 MİL MAXI STAR T-TAPE DRIP PIPE 6 MIL

Çap Diameter	Et Kalınlığı Wall Thickness	Debi Flow Rate	Paketleme Packaging	Kod Code	Damlama Aralığı Distance
16 mm	6 mil (0,15mm)	1,0 1,6 2,2 3,5 Lt/h	2.500 metre/top meter/roll	IRX171510-1	10 cm
				IRX171515-1	15 cm
				IRX171520-1	20 cm
				IRX171525-1	25 cm
				IRX171530-1	30 cm
				IRX171533-1	33 cm
				IRX171540-1	40 cm
				IRX171550-1	50 cm
IRX171560-1	60 cm				

MAXİ STAR DAMLA SULAMA BORUSU 8 MİL MAXI STAR T-TAPE DRIP PIPE 8 MIL

Çap Diameter	Et Kalınlığı Wall Thickness	Debi Flow Rate	Paketleme Packaging	Kod Code	Damlama Aralığı Distance
16 mm	8 mil (0,20mm)	1,0 1,6 2,2 3,5 Lt/h	2.300 metre/top meter/roll	IRX172010-1	10 cm
				IRX172015-1	15 cm
				IRX172020-1	20 cm
				IRX172025-1	25 cm
				IRX172030-1	30 cm
				IRX172033-1	33 cm
				IRX172040-1	40 cm
				IRX172050-1	50 cm
IRX172060-1	60 cm				

MAXİ STAR DAMLA SULAMA BORUSU 10 MİL MAXI STAR T-TAPE DRIP PIPE 10 MIL

Çap Diameter	Et Kalınlığı Wall Thickness	Debi Flow Rate	Paketleme Packaging	Kod Code	Damlama Aralığı Distance
16 mm	10 mil (0,25mm)	1,0 1,6 2,2 3,5 Lt/h	2.000 metre/top meter/roll	IRX172510-1	10 cm
				IRX172515-1	15 cm
				IRX172520-1	20 cm
				IRX172525-1	25 cm
				IRX172530-1	30 cm
				IRX172533-1	33 cm
				IRX172540-1	40 cm
				IRX172550-1	50 cm
IRX172560-1	60 cm				



DAMLA SULAMA BORUSU DRIP IRRIGATION PIPE



Damla Sulama Borusu
Drip Irrigation Pipe

STAR-T

MAXI

MAXI STAR DAMLA SULAMA BORUSU 12 MİL MAXI STAR T-TAPE DRIP PIPE 12 MIL

Çap Diameter	Et Kalınlığı Wall Thickness	Debi Flow Rate	Paketleme Packaging	Kod Code	Damlama Aralığı Distance
16 mm	12 mil (0,30 mm)	1,0 1,6 2,2 3,5 Lt/h	1.800 metre/top meter/roll	IRX173010-1	10 cm
				IRX173015-1	15 cm
				IRX173020-1	20 cm
				IRX173025-1	30 cm
				IRX173030-1	30 cm
				IRX173033-1	33 cm
				IRX173040-1	40 cm
				IRX173050-1	50 cm
IRX173060-1	60 cm				

MAXI STAR DAMLA SULAMA BORUSU 16 MİL MAXI STAR T-TAPE DRIP PIPE 16 MIL

Çap Diameter	Et Kalınlığı Wall Thickness	Debi Flow Rate	Paketleme Packaging	Kod Code	Damlama Aralığı Distance
16 mm	16 mil (0,40 mm)	1,0 1,6 2,2 3,5 Lt/h	1.500 metre/top meter/roll	IRX174010-1	10 cm
				IRX174015-1	15 cm
				IRX174020-1	20 cm
				IRX174025-1	30 cm
				IRX174030-1	30 cm
				IRX174033-1	33 cm
				IRX174040-1	40 cm
				IRX174050-1	50 cm
IRX174060-1	60 cm				

22 mm MAXI STAR DAMLA SULAMA BORUSU 22 mm MAXI STAR T-TAPE DRIP PIPE

Çap Diameter	Et Kalınlığı Wall Thickness	Debi Flow Rate	Paketleme Packaging	Kod Code	Damlama Aralığı Distance
22 mm	10 mil (0,25mm)	1,0 1,6 2,2 Lt/h	1.400 metre/top meter/roll	IR222520-1	20 cm
				IR222525-1	25 cm
				IR222530-1	30 cm
	12 mil (0,30mm)		1.200 metre/top meter/roll	IR223020-2	20 cm
				IR223025-2	25 cm
				IR223030-2	30 cm

25 mm MAXI STAR DAMLA SULAMA BORUSU 25 mm MAXI STAR T-TAPE DRIP PIPE

Çap Diameter	Et Kalınlığı Wall Thickness	Debi Flow Rate	Paketleme Packaging	Kod Code	Damlama Aralığı Distance
25 mm	12 mil (0,30mm)	1,0 1,6 2,2 Lt/h	1.000 metre/top meter/roll	IR253020-1	20 cm
				IR253025-1	25 cm
				IR253030-1	30 cm







STAR-T MAXI LOADING PROGRAM



WITH PALLET

20" DC CONTAINER

WITHOUT PALLET



40" HIGH CUBE CONTAINER



TRUCK LOADING PROGRAM

